																	CI	01	MS	FO	R	M
																						7
SUSPEC																	$\dashv$					
												<u> </u>	T	T	Т	$\neg$	$\neg$	Т	Т	T	Т	$\dashv$
															$\perp$	$\perp$	$\perp$	$\perp$				
				I. REA	ACTIO	N INFO	RMATION	1														
(first last)			Month Year	3. SEX	3. SEX 3a. WEIGHT Unk			4-6 REACTION ONSET  Day Month Year						API	ECK PRO	PR	RIATI	Ę Ţ <u>ſ</u>	Ö.			
PRIVACY	COS 17				67 Years	Male						Σ		ADVERSE REACTION PATIENT DIED					)NI			
7 + 13 DESCRIBE REACTION(S) (including relevant tests/lab data) Other Serious Criteria: Medically Significant														_			: 31-JU OLVED					
Event Verbatim [PRE	Product	Serious	ous Listed Reporter Company					,	PROLONGED INP. HOSPITALISATION				INPAT ION									
symptoms if any separated by commas)				TAGRISSO	Yes	No	Caus Not					INVOLVED PERSIS OR SIGNIFICANT DISABILITY OR				NT	ENI					
Death [Death]			TAGRISSO	Yes		App					_	7	INCAPACITY    LIFE									
Colitis [Colitis]	an [Abdam	inal diatana	ianl			No	Not Not				_			THREATENING  CONGENITAL								
abdominal distension	on (Abdom	inai distens	ionj	TAGRISSO		No	No	Applicable Related					L		ANO	MALY	AL					
	(Conti	(Continued on Additional Information Page)																				
II. SUSPECT DRUG(S) INFORMATION																						
14. SUSPECT DRUG(S) (include generic name) #1 ) TAGRISSO (OSIMERTINIB) Tablet															D REACTION ATE AFTER STOPPING RUG?							
							ROUTE(S) OF ADMINISTRATION ) Oral use							YES NO NA								
17. INDICATION(S) FOR USE #1 ) Unknown							21. DID REACTION REAPPEAR AFTER REINTRODUCTION?															
,							. THERAPY DURATION 1 ) Unknown							YES NO NA								
			III	. CONCOMI	TANT	DRUG(S	S) AND H	IIST	OF	RY												_
22. CONCOMITANT DRU	JG(S) AND DA	ATES OF ADM					-,		<u> </u>													٦
23. OTHER RELEVANT H	HISTORY. (e.ç	g. diagnostics,			onth of peri													_				$\dashv$
From/To Dates Type of History / Notes Unknown to Ongoing Type of History / Notes Unknown to Ongoing Undication Description Lung neoplasm malignant (Lung neoplasm malignant)																						
Unknown to Ongo	oing		In	dication		Lung ne	oplasm ma	ligna	nt (I	Lun	g ne	eopl	asm	ma	ılıgı	nan	ıt)					
																		_				╛
<u> </u>				IV. MANU	FACT			1017	N_						_			_				_
24a. NAME AND ADDRESS OF MANUFACTURER AstraZeneca Serban Ghiorghiu 1 Medimmune Way Gaithersburg, Maryland 20878 UNITED STATES Phone: +1 301-398-0000						World Study	26. REMARKS World Wide #: CR-ASTRAZENECA-202503CAM004999CR Study ID: PSP-23269 Case References: CR-AstraZeneca-CH-00823218A															
	24b. MFR CONTROL NO.						AME AND ADDR	RESS O	F RE	POR	TER				_	—		_				$\dashv$
		202503C					E AND ADD					D.										
24d. REPORT SOURCE BY MANUFACTURER  24d. REPORT SOURCE STUDY STUDY LITERATURE						NAME AND ADDRESS WITHHELD.																
31-JUL-2025	I X STODI ☐ EITEINATORE					NAM	E AND ADD	RES	S W	ITHI	HEL	D.										
DATE OF THIS REPORT								<del>- </del>														

X INITIAL

FOLLOWUP:

## **ADDITIONAL INFORMATION**

## 7+13. DESCRIBE REACTION(S) continued

Event Verbatim [PREFERRED TERM] (Related symptoms if any separated by commas)	Product	Serious	Listed	Reporter Causality	Company Causality
Diarrhea [Diarrhoea]	TAGRISSO	No	Yes	Not Applicable	Not Related
Weight loss (from january 2025 to march 2025 10kg)/low weight [Weight decreased]	TAGRISSO	Yes	No	Related	Related
Many of flatulence [Flatulence]	TAGRISSO	No	No	Not Applicable	Not Related
Cansancio/lot of tiredness [Fatigue]	TAGRISSO	No	No	Related	Related
Vómitos [Vomiting]	TAGRISSO	No	No	Related	Related
nausea [Nausea]	TAGRISSO	No	No	Related	Related

Case Description: A solicited report has been received from a consumer in Patient Support Program. The report concerns a male elderly patient born in 1957 (age 67 years).

The patient's past and current medical history included radiotherapy (dates not reported).

No concomitant products were reported.

The patient started treatment with Tagrisso (osimertinib mesilate) 80 milligram qd, Oral use, on 17-FEB-2023 for lung neoplasm malignant.

During 15-JAN-25, the patient experienced weight loss (from january 2025 to march 2025 10kg)/low weight (preferred term: Weight decreased). On an unknown date, the patient experienced abdominal distension (preferred term: Abdominal distension), nausea (preferred term: Nausea), vómitos (preferred term: Vomiting), cansancio/lot of tiredness (preferred term: Fatigue), many of flatulence (preferred term: Flatulence), colitis (preferred term: Colitis) and diarrhea (preferred term: Diarrhoea).

It is unknown if any action was taken with Tagrisso (osimertinib mesilate).

The patient recovered from the event(s) weight loss (from january 2025 to march 2025 10kg)/low weight on an unspecified date. At the time of reporting, the event cansancio/lot of tiredness, nausea and vómitos was improving. At the time of reporting, the event abdominal distension, colitis, diarrhea and many of flatulence was ongoing. The patient died (preferred term: Death) on 31-JUL-2025.

The patient died on 31-JUL-2025. It is not known whether an autopsy was performed. The cause of death was unknown.

The following event(s) were considered serious due to death:death. The following event(s) were considered serious due to medically significant:weight loss (from january 2025 to march 2025 10kg)/low weight and colitis.

The following events were considered non-serious:abdominal distension, cansancio/lot of tiredness, diarrhea, many of flatulence, nausea and vómitos.

The reporter did not assess causality for abdominal distension, colitis, death, diarrhea and many of flatulence. The reporter considered that there was a reasonable possibility of a causal relationship between Tagrisso and the following event(s): cansancio/lot of tiredness, nausea, vómitos and weight loss (from january 2025 to march 2025 10kg)/low weight.

The company physician did not consider that there was a reasonable possibility of a causal relationship between Tagrisso and the following event(s): abdominal distension, death, diarrhea and many of flatulence. The company physician considered that there was a reasonable possibility of a causal relationship between Tagrisso and the following event(s): cansancio/lot of tiredness, colitis, nausea, vómitos and weight loss (from january 2025 to march 2025 10kg)/low weight.

Summary of follow-up information received by AstraZeneca 28-Mar-2025: patient as new primary reporter added, new events of weight loss (from january 2025 to march 2025 10kg) and many of flatulence and colitis added, Narrative updated.

Corrected Report 01-Apr-2025: Country of patient changed from United States to Costa Rica.

Summary of follow up information received by AstraZeneca/ Medimmune 30-APR-2025 from Patient via Patient Support Program source: Description as Reported Weight loss was updated. Outcome of Weight loss was updated to Recovered. New events Fatigue, Vomiting, Nausea was added. Event assessment was added. RC/DC was added. Narrative updated.

Summary of follow-up information received by AstraZeneca on 31-Jul-2025 from other caregiver via a patient support program: New event of Death added. Action taken for the suspect drug of Tagrisso was updated as unknown from no change. Narrative amended.

Company Clinical Comment: Weight decreased and colitis are not listed in company core data sheet of Osimertinib. History of radiotherapy and underlying malignancy could be confounding. Due to limited information on circumstances leading to the events, start date and action taken of suspect drug, onset date and outcome of events, clinical course, treatment provided, concurrent conditions, risk factors, relevant medical history, detailed etiological and diagnostic work up, the evaluation did not find evidence to exclude a causal relationship between the events and suspect drug.

## **ADDITIONAL INFORMATION**

## 23. OTHER RELEVANT HISTORY continued

From/To Dates	Type of History / Notes	Description
Unknown	Historical Condition	Radiotherapy (Radiotherapy);