															CIC	MS	F	OR	M
SUSPECT AD																			
										T		П			\top	П			_
												Ш				Ш			_
					1	RMATIC													
PRIVACY COSTA RICA PRIVACY 48 Years						3a. WEIGHT 4-6 REACTION ONSET Unk Day Month Year 2025						r	8-12 CHECK ALL APPROPRIATE TO ADVERSE REACTION PATIENT DIED						
7 + 13 DESCRIBE REACTION(S) (including relevant tests/lab data) Event Verbatim [PREFERRED TERM] (Related symptoms if any separated by commas) itching on the body, more in the back and buttocks during the second application [Pruritus] Diarrhea [Diarrhoea] headache [Headache] stomach pain [Abdominal pain upper] Constination [Constination]								INVOLVED OR PROLONGED INPATIENT HOSPITALISATION INVOLVED PERSISTENT OR SIGNIFICANT DISABILITY OR INCAPACITY											
Constipation [Constipation] Nausea [Nausea] Doctor instructed the patient to administer ozempic using clicks (20 clicks, 35 clicks, 55 clicks, 50 clicks) and endocrinologist prescribed ozempic use for overweight [Off label use]									LIFE THREATENING CONGENITAL ANOMALY										
(Continued on Additional Information Page)								e) [OTHER										
II. SUSPECT DRUG(S) INFORMATION																			
14. SUSPECT DRUG(S) (include generic name) #1) Semaglutide B 1.34 mg/ml PDS290 1.0 mg (SEMAGLUTIDE 1.34 mg/mL) Solution for injection, 1 mg {Lot # (Continued on Additional Information Page) 20. DID REACTION ABATE AFTER STOPPING DRUG?									NG										
					ROUTE(S) OF ADMINISTRATION) Subcutaneous						YES NO NA								
17. INDICATION(S) FOR USE #1) overweight (Overweight)								21.	21. DID REACTION REAPPEAR AFTER REINTRODUCTION?										
` '						THERAPY DURATION) Unknown							YES NO NA						
III. CONCOMITANT DRUG(S) AND HISTORY																			
22. CONCOMITANT DRUG(S) AND DATES OF ADMINISTRATION (exclude those used to treat reaction)																			
23. OTHER RELEVANT HISTORY. (e.g. diagnostics, allergies, pregnancy with last month of period, etc.) From/To Dates Type of History / Notes Description Unknown to Ongoing Current Condition Overweight (Overweight)																			
Duration not reported. Unknown to Ongoing Current Condition Premenopause (Menopause)																			
ſ		1\	/. MANUI	FACTU			<u>ATIO</u>	N											_
24a. NAME AND ADDRESS OF MANUFACTURER Novo Nordisk A/S Lise Grimmeshave Vandtaarnsvej 114 Soeborg, DK-2860 DENMARK Phone: +45 44448888						26. REMARKS Medically Confirmed: No													
	24b. MFR CONTROL NO. 1446188					25b. NAME AND ADDRESS OF REPORTER NAME AND ADDRESS WITHHELD.													
24c. DATE RECEIVED BY MANUFACTURER 25-JUN-2025	FACTURER STUDY LITERATURE																		
DATE OF THIS REPORT 23-JUL-2025 DATE OF THIS REPORT 25a. REPORT TYPE DINITIAL FOLLOWUP: 1																			

Mfr. Control Number: 1446188

ADDITIONAL INFORMATION

7+13. DESCRIBE REACTION(S) continued

Case Description: ***This is an auto generated narrative***

Study ID: 199-NovoDia

Study description: Trial Title: Patient support programme to support physician and their daily work to maintain an optimal diabetic control of patients through added value services such as treatment starter kit, nutrition support through NovoDia call center, individual workshops, group workshops and free A1c test.

This non-serious Solicited Report from COSTA RICA was reported by a Consumer as "itching on the body, more in the back and buttocks during the second application(Generalized itching)" beginning on 2025, "Diarrhea(Diarrhea)" beginning on 24-MAY-2025, "headache(Headache)" beginning on 24-MAY-2025, "stomach pain(Stomach pain)" beginning on 24-MAY-2025,

"Constipation(Constipation)" beginning on 29-JUN-2025, "Nausea(Nausea)" beginning on 29-JUN-2025, "Doctor instructed the patient to administer ozempic using clicks (20 clicks, 35 clicks, 55 clicks, 50 clicks) and endocrinologist prescribed ozempic use for overweight(Off label use)" beginning on 24-MAY-2025 and concerned a 48 Years old Female patient who was treated with Ozempic 1.0 mg (SEMAGLUTIDE 1.34 mg/mL) from 24-MAY-2025 and ongoing for "overweight",

Dosage Regimens:

Ozempic 1.0 mg: 24-MAY-2025 to Not Reported, Not Reported to Not Reported, 21-JUN-2025 to Not Reported, 29-JUN-2025 to Not Reported (Dosage Regimen Ongoing);

Current Condition: overweight, Premenopause.

Batch Numbers:

Ozempic 1.0 mg: PP5L760, PP5L760, PP5L760, PP5L760;

Action taken to Ozempic 1.0 mg was reported as No Change.

The outcome for the event "itching on the body, more in the back and buttocks during the second application(Generalized itching)" was Not Reported.

On 25-MAY-2025 the outcome for the event "Diarrhea(Diarrhea)" was Recovered.

On 25-MAY-2025 the outcome for the event "headache(Headache)" was Recovered.

On 25-MAY-2025 the outcome for the event "stomach pain(Stomach pain)" was Recovered.

The outcome for the event "Constipation(Constipation)" was Not recovered.

The outcome for the event "Nausea(Nausea)" was Not recovered.

The outcome for the event "Doctor instructed the patient to administer ozempic using clicks (20 clicks, 35 clicks, 55 clicks, 50 clicks) and endocrinologist prescribed ozempic use for overweight(Off label use)" was Not recovered.

Reporter's causality (Ozempic 1.0 mg) -

itching on the body, more in the back and buttocks during the second application(Generalized itching): Possible

Diarrhea(Diarrhea): Possible headache(Headache): Possible stomach pain(Stomach pain): Possible Constipation(Constipation): Unknown

Nausea(Nausea): Unknown

Doctor instructed the patient to administer ozempic using clicks (20 clicks, 35 clicks, 55 clicks, 50 clicks) and endocrinologist prescribed ozempic use for overweight(Off label use): Unknown

Company's causality (Ozempic 1.0 mg) -

itching on the body, more in the back and buttocks during the second application(Generalized itching): Possible

Diarrhea(Diarrhea): Possible headache(Headache): Possible stomach pain(Stomach pain): Possible Constipation(Constipation): Possible

Nausea(Nausea) : Possible

Doctor instructed the patient to administer ozempic using clicks (20 clicks, 35 clicks, 55 clicks, 50 clicks) and endocrinologist prescribed ozempic use for overweight(Off label use): Possible

Reporter Comment: Patient does not use any concomitant drugs.

JAN-2027); Regimen #4

ADDITIONAL INFORMATION								
14-19. SUSPECT DRUG(S) continued								
14. SUSPECT DRUG(S) (include generic name)	15. DAILY DOSE(S); 16. ROUTE(S) OF ADMIN	17. INDICATION(S) FOR USE	18. THERAPY DATES (from/to); 19. THERAPY DURATION					
#1) Semaglutide B 1.34 mg/ml PDS290 1.0	qw(20 clicks);	overweight (Overweight)	24-MAY-2025 /					
mg (SEMAGLUTIDE 1.34 mg/mL) Solution for	Subcutaneous		Unknown;					
injection, 1 mg {Lot # PP5L760; Exp.Dt. JAN-2027}; Regimen #1			Unknown					
#1) Semaglutide B 1.34 mg/ml PDS290 1.0	qw(35 clicks);	overweight (Overweight)	Unknown;					
mg (SEMAGLUTIDE 1.34 mg/mL) Solution for injection, 1 mg {Lot # PP5L760; Exp.Dt. JAN-2027}; Regimen #2	Subcutaneous		Unknown					
#1) Semaglutide B 1.34 mg/ml PDS290 1.0	qw(55 clicks);	overweight (Overweight)	21-JUN-2025 /					
mg (SEMAGLUTIDE 1.34 mg/mL) Solution for	Subcutaneous		Unknown;					
injection, 1 mg {Lot # PP5L760; Exp.Dt. JAN-2027}; Regimen #3			Unknown					
#1) Semaglutide B 1.34 mg/ml PDS290 1.0	qw(50 clicks) ((on	overweight (Overweight)	29-JUN-2025 /					
mg (SEMAGLUTIDE 1.34 mg/mL) Solution for	Saturday); Subcutaneous		Ongoing;					
injection, 1 mg {Lot # PP5L760; Exp.Dt.			Unknown					

Mfr. Control Number: 1446188