													CI	OI	/15 H	-OI	RM
SUSPECT ADVERSE REACTION REPORT																	
							T		П				T		T		
									Ш								
I. REACTION INFORMATION  1. PATIENT INITIALS 1a. COUNTRY 2. DATE OF BIRTH 2a. AGE 3. SEX 3a. WEIGHT 4-6 REACTION ONSET 8-12 CHECK ALL																	
(first, last) PRIVACY	(first, last) COSTA RICA Day Month Year Unk Day Month						Y	ear 025	APPROPRIATE TO								
7 + 13 DESCRIBE REACTION(S) (including relevant tests/lab data) Event Verbatim [PREFERRED TERM] (Related symptoms if any separated by commas) Many eating disorders [Eating disorder]								INVOLVED OR PROLONGED INPATIENT									
Case Description: ***This is an auto generated narrative***								HOSPITALISATION INVOLVED PERSISTENT OR SIGNIFICANT DISABILITY OR									
Study ID: 828652-My Healthy Journey								INCAPACITY  LIFE THREATENING									
Study description: Trial title: This is a 40 weeks digital patient support program with focus on exercise, motivation, nutrition & maintaining strategies (only for patients under Liraglutide 3.0 mg).								CONGENITAL ANOMALY									
(Continued on Additional Information Page							age)		ОТН	IER							
II. SUSPECT DRUG(S) INFORMATION																	
14. SUSPECT DRUG(S) (include generic name) #1 ) Saxenda (liraglutide 6 mg/mL) Solution for injection, 6 mg/mL  (Continued on Additional Information Page)								age)	20. DID REACTION ABATE AFTER STOPPING DRUG?								
					ROUTE(S) OF ADMINISTRATION  1 ) Subcutaneous				-	YES NO NA							
17. INDICATION(S) FOR USE #1 ) Product used for unknown indication (P  (Continued on Additional Information Page)							age)	21. DID REACTION REAPPEAR AFTER REINTRODUCTION?									
` '					. THERAPY DURATION  1 ) Unknown				.90)	YES NO NA							
III. CONCOMITANT DRUG(S) AND HISTORY																	
22. CONCOMITANT DRUG(S) AND DATES OF ADMINISTRATION (exclude those used to treat reaction)																	
23. OTHER RELEVANT HISTORY. (e.g. diagnostics, allergies, pregnancy with last month of period, etc.) From/To Dates Type of History / Notes Description																	
Unknown		Type of Filology	7110103	Besonption													
IV. MANUFACTURER INFORMATION																	
24a. NAME AND ADDRESS OF MANUFACTURER Novo Nordisk A/S Lise Grimmeshave Vandtaarnsvej 114 Soeborg, DK-2860 DENMARK Phone: +45 44448888					26. REMARKS Medically Confirmed: No												
	24b. MFR CC	NTROL NO.			ME AND ADDR												
	1470618			NAMI	E AND ADD	RESS	WI	THHE	LD.								
	4c. DATE RECEIVED BY MANUFACTURER  24d. REPORT SOURCE STUDY  LITERATURE																
26-JUN-2025 HEALTH OTHER:																	
DATE OF THIS REPORT  11-JUL-2025  25a. REPORT TYPE    Signature   Followup:																	

## Mfr. Control Number: 1470618

## **ADDITIONAL INFORMATION**

## 7+13. DESCRIBE REACTION(S) continued

This non-serious Solicited Report from COSTA RICA was reported by a Consumer as "Many eating disorders(Eating disorder)" beginning on MAY-2025 and concerned a Male patient who was treated with Saxenda (liraglutide 6 mg/mL) from MAY-2024 to FEB-2025 for "Product used for unknown indication",

Dosage Regimens:

Saxenda: ??-MAY-2024 to Not Reported, Not Reported to ??-FEB-2025;

Medical history was not provided.

Batch Numbers: Saxenda: UNK, UNK;

Action taken to Saxenda was reported as Product discontinued due to AE.

The outcome for the event "Many eating disorders(Eating disorder)" was Recovering/resolving.

Reporter's causality (Saxenda) -

Many eating disorders(Eating disorder): Unknown

Company's causality (Saxenda) -

Many eating disorders(Eating disorder): Unlikely

Reporter Comment: Treatment received: Unspecified-non codeable

## 14-19. SUSPECT DRUG(S) continued

14. SUSPECT DRUG(S) (include generic name)	15. DAILY DOSE(S); 16. ROUTE(S) OF ADMIN	17. INDICATION(S) FOR USE	18. THERAPY DATES (from/to); 19. THERAPY DURATION
#1 ) Saxenda (liraglutide 6 mg/mL) Solution for injection, 6 mg/mL; Regimen #1	UNK; Subcutaneous	Product used for unknown indication (Product used for unknown indication)	MAY-2024 / Unknown; Unknown
#1 ) Saxenda (liraglutide 6 mg/mL) Solution for injection, 6 mg/mL; Regimen #2	1.8 mg, qd; Subcutaneous	Product used for unknown indication (Product used for unknown indication)	Unknown / FEB-2025; Unknown