

SUSPECT ADVERSE REACTION REPORT	
DO-TOLMAR, INC.-22DO036196	

I. REACTION INFORMATION

1. PATIENT INITIALS (first, last)	1a. COUNTRY	2. DATE OF BIRTH			2a. AGE Years	3. SEX	4-6 REACTION ONSET			8-12 CHECK ALL APPROPRIATE TO ADVERSE REACTION
LAH	DOMINICAN Cont..	Day	Month	Year	77	Male	Day	Month	Year	
		13	Dec	1947						
7+13 DESCRIBE REACTION(S) (including relevant tests/lab data) 1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS (Prostate cancer metastatic (10036909), Prostate cancer metastatic (10036909)) Not Recovered/Not Resolved/Ongoing 2) ELEVATED PSA (Prostatic specific antigen increased (10036975), Prostatic specific antigen increased (10036975)) Unknown 3) INEFFECTIVE DRUG (Drug ineffective (10013709), Drug ineffective (10013709)) Unknown <div style="text-align: right;">Cont..</div>										<input type="checkbox"/> PATIENT DIED <input type="checkbox"/> LIFE THREATENING <input type="checkbox"/> INVOLVED OR PROLONGED INPATIENT HOSPITALIZATION <input type="checkbox"/> RESULTS IN PERSISTENCE OR SIGNIFICANT DISABILITY/INCAPACITY <input type="checkbox"/> CONGENITAL ANOMALY <input checked="" type="checkbox"/> OTHER MEDICALLY IMPORTANT CONDITION

II. SUSPECT DRUG(S) INFORMATION

14. SUSPECT DRUG(S)(include generic name) 1) Eligard® (Leuprolide acetate, Leuprolide acetate) (Suspect) (22.5 Milligram, Injection)(Unknown) <div style="text-align: right;">Cont..</div>		20. DID EVENT ABATE AFTER STOPPING DRUG? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA 21. DID EVENT REAPPEAR AFTER REINTRODUCTION <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA (NA : Not Applicable)
15. DAILY DOSE(S) 1) (22.5 milligram(s), 1 in 3 Month) <div style="text-align: right;">Cont..</div>	16. ROUTE(S) OF ADMINISTRATION 1) Subcutaneous <div style="text-align: right;">Cont..</div>	
17. INDICATION(S) FOR USE 1) prostate cancer [10060862 - Prostate cancer] <div style="text-align: right;">Cont..</div>		
18. THERAPY DATE(S) (from/to) 		19. THERAPY DURATION

III. CONCOMITANT DRUG(S) AND HISTORY

22. CONCOMITANT DRUG(S) AND DATES OF ADMINISTRATION (exclude those used to treat reaction) 1) Chemotherapy(OTHER THERAPEUTIC PRODUCTS) <div style="text-align: right;">Cont..</div>	
23. OTHER RELEVANT HISTORY (e.g. diagnostics, allergies, pregnancy with last month of period, etc.) 1) PROSTATE CANCER (10060862, Prostate cancer) (Continuing: Yes)	

IV. MANUFACTURER INFORMATION

24a. NAME AND ADDRESS OF MANUFACTURER Name : Tolmar, Inc 701 Centre Avenue Fort Collins, CO, 80526, UNITED STATES OF AMERICA debbie.maierhofer@tolmar.comand+1-4129158447		Study Information Study Name: NA EudraCT Number: Protocol No.: NA Center No.: Subject Id :	
24. REPORT NULLIFIED <input type="checkbox"/> YES <input type="checkbox"/> NO	24b. MFR CONTROL NO. DO-TOLMAR, INC.-22DO036196		
24c. DATE RECEIVED BY MANUFACTURER 30/Apr/2025	24d. REPORT SOURCE <input checked="" type="checkbox"/> STUDY <input type="checkbox"/> LITERATURE <input type="checkbox"/> HEALTH PROFESSIONAL		
DATE OF THIS REPORT 05/May/2025	25a. REPORT TYPE <input type="checkbox"/> INITIAL <input checked="" type="checkbox"/> FOLLOWUP		

= Continuation attached sheet(s)..

Continuation Sheet for CIOMS report

1a. COUNTRY

DOMINICAN REPUBLIC

7+13 DESCRIBE REACTION(S) (including relevant tests/lab data) (Continuation...)

Event Description :

This study report from Dominican Republic was received by Adium (reference number: (DO-0115-20220817) on 16-Aug-2022, from a consumer (patient's daughter) regarding an elderly 74-year-old male patient who experienced a serious event of 'stage 5 due to prostate cancer and with metastasis' (prostate cancer metastatic) during Eligard (leuprolide acetate) 22.5 mg therapy for prostate cancer. The needle component of the constituent device was not identified in the report. The report was sent to Tolmar on 17-Aug-2025.

The patient's medical history was unknown and current condition included prostate cancer.

Concomitant medication included chemotherapy and unspecified injection.

On an unknown date, the patient began receiving Eligard 22.5 mg every 3 months via subcutaneous route for prostate cancer (Lot numbers and expiration dates were not reported). No further details were provided.

On an unknown date, the patient was in delicate health in stage 5 due to prostate cancer with metastasis. No further details were provided.

On 03-Apr-2022, the patient was prescribed with drug Xtandi indicating that he had never used it due to the shortage in the "Alto costo" establishment and that the delivery had not been authorized yet.

Corrective treatment was unknown.

Action taken with Eligard in response to event was dose not changed. De-challenge and re-challenge were not applicable.

The outcome of prostate cancer metastatic was not recovered.

The reporter did not assess the seriousness of event prostate cancer metastatic.

The reporter did not provide the causality of prostate cancer metastatic in relation to Eligard and Eligard Unspecified Device.

On 03-Apr-2025, follow up information was received via by Adium ((reference number: (DO-0115-20220817), from a consumer (patient's daughter). New information included: New serious event (medically significant) of 'elevated PSA' (prostatic specific antigen increased) and non-serious event of 'ineffective drug' (drug ineffective) were added. Eligard 45 mg dose details were added. Treatment details were added. Relevant test results were added.

On 18-Aug-2022, the patient had an appointment, and he probably will change the dose to 45 mg, every 6 months via subcutaneous route for prostate cancer.

On 01-Sep-2022, the patient was scheduled for next application of Eligard 22.5 mg and it would be the last application every 3 months.

On an unknown date, the patient daughter mentioned that the patient new oncologist switched him from Eligard to Bitara treatment takes 4 pills a day as the patient PSA was rising to 800ng/ml and with new treatment it was monitored that the patient PSA was dropped to 41ng/ml.

Corrective treatment included Bitara-takes 4 pills a day.

Relevant test results included:

On an unknown date: prostatic specific antigen increased: 800 ng/ml (Ref range: not provided)

On an unknown date: prostatic specific antigen increased: 40 ng/ml (Ref range: not provided)

Action taken with Eligard in response to the events was drug withdrawn. De-challenge and Re-challenge were not applicable.

The outcome of ineffective drug and prostatic specific antigen increased was unknown.

The reporter did not assess the seriousness of event ineffective drug and prostatic specific antigen increased.

The reporter did not provide the causality of ineffective drug and prostatic specific antigen increased in relationship to Eligard and Eligard Unspecified Device.

On 30-Apr-2025, follow up information was received by Adium via 'ASOFARMA A TU LADO' Patient Support Program (reference number: (DO-0115-20220817), from a consumer and sent to Tolmar on 30-Apr-2025. No new information included in follow-up.

Continuation Sheet for CIOMS report

It was confirmed that it was not possible to contact the patient, and no further information was obtained. The patient was inactive in the CRM.

Listedness of the event Prostate cancer metastatic is retained as per previous assessment.

Prostatic specific antigen increased>Eligard>Listed as per CCDS>07-Nov-2024

Prostatic specific antigen increased>Eligard>Listed as per USPI>Feb-2025

Prostatic specific antigen increased>Eligard unspecified device>Listed as per USPI>Feb-2025

Prostatic specific antigen increased>Eligard>Listed as per Canadian monograph>02-Apr-2025

Drug ineffective >Eligard>Listed as per CCDS>07-Nov-2024

Drug ineffective>Eligard>Listed as per USPI>Feb-2025

Drug ineffective>Eligard unspecified device>Listed as per USPI>Feb-2025

Drug ineffective>Eligard>Listed as per Canadian monograph>02-Apr-2025

Listedness of the event prostate cancer metastatic, prostatic specific antigen increased and drug ineffective is retained as per previous assessment.

Company Remarks (Sender's Comments) :

Evaluator comment (tolmar): This is 74 years old male patient who is experiencing stage 5 due to prostate cancer and with metastasis (Prostate cancer metastatic) during Eligard therapy (Leuprolide acetate) 22.5 mg for Prostate cancer. Tolmar assessed the event prostate cancer metastatic as serious (medically significant). Based on the information available and considering the inherent progressive nature of the underlying prostate the event prostate cancer metastatic is considered as not related to Eligard (drug and device) but considered as related to prostate cancer.

Follow-up: events drug ineffective (ineffective drug') and prostatic specific antigen increased (elevated PSA') during Eligard therapy (Leuprolide acetate) for Prostate cancer were added. Tolmar assessed the event prostatic specific antigen increased as serious (medically significant) and the event drug ineffective as non-serious since it did not meet ICH seriousness criteria. The causality of the events drug ineffective and prostatic specific antigen increased was assessed as not related to Eligard drug (unrelated to device) but related to prostate metastatic cancer, considering the inherent progressive nature of the underlying prostate cancer.

Follow-up: Causality of the event prostate cancer metastatic, prostatic specific antigen increased and drug ineffective is retained as per previous assessment.

Additional Information (Continuation...)

Lab Result :

Test Name	Test Date	Test Result	Normal Value
PSA		800 nanogram per milliliter	
PSA		40 nanogram per milliliter	

14.SUSPECT DRUG(S) (Continuation...)

Product-Reaction Level

1) Drug : Eligard® (Leuprolide acetate)
 Active Substance : 1) Leuprolide acetate
 Drug Characterization : Suspect
 Form Strength : 1) 22.5 Milligram
 Form of Admin : 1) Injection
 Lot Number : 1) Unknown
 Daily Dose : (22.5 milligram(s), 1 in 3 Month)
 Route of Admin : 1) Subcutaneous
 Indications : 1) prostate cancer [10060862 - Prostate cancer]
 Action(s) Taken With Drug : Drug withdrawn

Causality

1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS (Prostate cancer metastatic - 10036909, Prostate cancer metastatic - 10036909)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

Continuation Sheet for CIOMS report

2) ELEVATED PSA (Prostatic specific antigen increased - 10036975, Prostatic specific antigen increased - 10036975)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

3) INEFFECTIVE DRUG (Drug ineffective - 10013709, Drug ineffective - 10013709)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

Labeling :

1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS

CORE Labeled

2) ELEVATED PSA

CORE Labeled

3) INEFFECTIVE DRUG

CORE Labeled

2) Drug : Eligard 45 mg (Leuprolide acetate)

Active Substance : 1) Leuprolide acetate
 Drug Characterization : Suspect
 Form of Admin : 1) Injection
 Lot Number : 1) Unknown
 Daily Dose : (45 milligram(s), 1 in 6 Month)
 Route of Admin : 1) Subcutaneous
 Indications : 1) Prostate cancer [10060862 - Prostate cancer]
 Action(s) Taken With Drug : Drug withdrawn

Causality

1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS (Prostate cancer metastatic - 10036909, Prostate cancer metastatic - 10036909)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

2) ELEVATED PSA (Prostatic specific antigen increased - 10036975, Prostatic specific antigen increased - 10036975)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

3) INEFFECTIVE DRUG (Drug ineffective - 10013709, Drug ineffective - 10013709)

Causality as per reporter : Not Reported
 Causality as per Mfr : Not Related
 DeChallenge : Not applicable
 ReChallenge : Not Applicable

Labeling :

1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS

CORE Labeled

2) ELEVATED PSA

CORE Labeled

3) INEFFECTIVE DRUG

CORE Labeled

3) Drug : Eligard® Unspecified Device (Leuprolide acetate)

Active Substance : 1) Leuprolide acetate
 Drug Characterization : Suspect
 Form of Admin : 1) Injection
 Lot Number : 1) Unknown
 Indications : 1) Prostate cancer [10060862 - Prostate cancer]
 Action(s) Taken With Drug : Not applicable

Causality

1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS (Prostate cancer metastatic - 10036909, Prostate cancer metastatic - 10036909)

Causality as per reporter : Not Reported

Continuation Sheet for CIOMS report

- | | |
|----------------------|------------------|
| Causality as per Mfr | : Not Related |
| DeChallenge | : Not applicable |
| ReChallenge | : Not Applicable |
- 2) ELEVATED PSA (Prostatic specific antigen increased - 10036975, Prostatic specific antigen increased - 10036975)
- | | |
|---------------------------|------------------|
| Causality as per reporter | : Not Reported |
| Causality as per Mfr | : Not Related |
| DeChallenge | : Not applicable |
| ReChallenge | : Not Applicable |
- 3) INEFFECTIVE DRUG (Drug ineffective - 10013709, Drug ineffective - 10013709)
- | | |
|---------------------------|------------------|
| Causality as per reporter | : Not Reported |
| Causality as per Mfr | : Not Related |
| DeChallenge | : Not applicable |
| ReChallenge | : Not Applicable |

Labeling :

- 1) STAGE 5 DUE TO PROSTATE CANCER AND WITH METASTASIS
CORE
- 2) ELEVATED PSA
CORE
- 3) INEFFECTIVE DRUG
CORE

15. DAILY DOSE(S) (Continuation...)

Dosage Text :

Drug 1 :Eligard®

- 1) 22.5 milligram, q 3 month

Drug 3 :Eligard® Unspecified Device

- 1) UNK

22.CONCOMITANT DRUG(S) (Continuation...)

- | | | |
|------------------|---|---|
| 1). Drug | : | Chemotherapy |
| Active Substance | : | 1) OTHER THERAPEUTIC PRODUCTS |
| Form Strength | : | |
| Indications | : | 1) Product used for unknown indication [10070592 - Product used for unknown indication] |
-
- | | | |
|------------------|---|---|
| 2). Drug | : | Injection |
| Active Substance | : | 1) OTHER THERAPEUTIC PRODUCTS |
| Form Strength | : | |
| Indications | : | 1) Product used for unknown indication [10070592 - Product used for unknown indication] |
| Dosage Text | : | 1) 4 pills a day |