

<b>SUSPECT ADVERSE REACTION REPORT</b>  DO-Tolmar-TLM-2025-01817												

## I. REACTION INFORMATION

1. PATIENT INITIALS (first, last) <b>PRP</b>	1a. COUNTRY <b>DOMINICAN</b> Cont..	2. DATE OF BIRTH Day Month Year <b>19 Oct 1949</b>	2a. AGE Years <b>75</b>	3. SEX <b>Male</b>	4-6 REACTION ONSET Day Month Year <b>2025</b>	8-12 CHECK ALL APPROPRIATE TO ADVERSE REACTION  <input type="checkbox"/> PATIENT DIED <input type="checkbox"/> LIFE THREATENING <input type="checkbox"/> INVOLVED OR PROLONGED INPATIENT HOSPITALIZATION <input type="checkbox"/> RESULTS IN PERSISTENCE OR SIGNIFICANT DISABILITY/INCAPACITY <input type="checkbox"/> CONGENITAL ANOMALY <input type="checkbox"/> OTHER MEDICALLY IMPORTANT CONDITION
7+13 DESCRIBE REACTION(S) (including relevant tests/lab data) 1) Rash/rash on his upper limbs (Localised rash (10062704), Rash (10037844)) (//2025 - ) - Recovered/Resolved 2) Bilateral breast swelling (Breast swelling (10006312), Breast swelling (10006312)) (//2025 - ) - Recovered/Resolved						

## II. SUSPECT DRUG(S) INFORMATION

14. SUSPECT DRUG(S)(include generic name) 1) Eligard® (Leuprolide acetate, Leuprolide acetate) (Suspect) (22.5 Milligram, Injection)(15109CUY;UNK;UNK) Cont..	20. DID EVENT ABATE AFTER STOPPING DRUG? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA
15. DAILY DOSE(S) 1) (22.5 milligram(s), 1 in 3 Month)	21. DID EVENT REAPPEAR AFTER REINTRODUCTION <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA (NA : Not Applicable)
16. ROUTE(S) OF ADMINISTRATION 1) Subcutaneous	
17. INDICATION(S) FOR USE 1) Prostate cancer [10060862 - Prostate cancer]	
18. THERAPY DATE(S) (from/to) (-Feb-2025 - Ongoing)	19. THERAPY DURATION

## III. CONCOMITANT DRUG(S) AND HISTORY

22. CONCOMITANT DRUG(S) AND DATES OF ADMINISTRATION (exclude those used to treat reaction) No concomitants used/reported
23. OTHER RELEVANT HISTORY (e.g. diagnostics, allergies, pregnancy with last month of period, etc.) 1) PROSTATE CANCER (10060862, Prostate cancer) (/Feb/2025 - ) (Continuing: Yes)

## IV. MANUFACTURER INFORMATION

24a. NAME AND ADDRESS OF MANUFACTURER Name : Tolmar, Inc 701 Centre Avenue Fort Collins, CO, 80526, UNITED STATES OF AMERICA		Study Information Study Name: NA EudraCT Number: Protocol No.: NA Center No.: Subject Id :
24. REPORT NULLIFIED <input type="checkbox"/> YES <input type="checkbox"/> NO	24b. MFR CONTROL NO. DO-Tolmar-TLM-2025-01817	
24c. DATE RECEIVED BY MANUFACTURER 13/May/2025	24d. REPORT SOURCE <input checked="" type="checkbox"/> STUDY <input type="checkbox"/> LITERATURE <input type="checkbox"/> HEALTH PROFESSIONAL	
DATE OF THIS REPORT 22/May/2025	25a. REPORT TYPE <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> FOLLOWUP	

= Continuation attached sheet(s)..

## Continuation Sheet for CIOMS report

## 1a. COUNTRY

DOMINICAN REPUBLIC

## 7+13 DESCRIBE REACTION(S) (including relevant tests/lab data) (Continuation...)

## Event Description :

This study report from Dominican Republic was received by Adium via Patient Support Program (reference number: DO-ADIUM-DO-0037-20250513) on 13-May-2025 from a consumer (non-healthcare professional) regarding an elderly 75-year-old male patient who experienced non serious events of "rash/rash on his upper limbs" (rash) and "bilateral breast swelling" (breast swelling) during Eligard (leuprolide) 22.5 mg therapy for prostate cancer. The needle component of the constituent device was not identified in the report. The report was sent to Tolmar on 14-May-2025.

The patient's medical history was unknown and current condition included prostate cancer.

Concomitant medications were unknown.

On an unknown date in Feb-2025, the patient began receiving Eligard 22.5 mg, every 3 months via subcutaneous route for prostate cancer (Lot numbers; 15109CUY; UNK; UNK and Expiration dates; May-2026; UNK; UNK).

On an unknown date in 2025, the patient experienced rash on his upper limbs which was moderate in nature. Additionally, he also had mild bilateral breast swelling which disappeared without further action.

Corrective treatment included topical hydrocortisone cream for rash.

Action taken with Eligard in response to the events was does not change. De-challenge and re-challenge were not applicable.

The outcome of rash and breast swelling was recovered.

The reporter did not assess the seriousness or causality of rash, breast swelling in relationship to Eligard and Eligard unspecified device.

No further information is expected as the reporter did not consent to be contacted for follow-up.

## Listedness:

Rash>Eligard>Unlisted as per CCDS>07-Nov-2024

Rash>Eligard>Unlisted as per USPI>Feb-2025

Rash>Eligard unspecified device>Unlisted as per USPI>Feb-2025

Rash>Eligard>listed as per Canadian monograph>02-Apr-2025

Breast swelling>Eligard>Unlisted as per CCDS>07-Nov-2024

Breast swelling>Eligard>Unlisted as per USPI>Feb-2025

Breast swelling>Eligard unspecified device>Unlisted as per USPI>Feb-2025

Breast swelling>Eligard>Unlisted as per Canadian monograph>02-Apr-2025

## Company Remarks (Sender's Comments) :

Evaluator comment (Tolmar): This is regarding an elderly 75-year-old male patient who developed rash and breast swelling during Eligard (leuprolide acetate) 22.5 mg therapy for prostate cancer. Tolmar assessed the reported events as non-serious since they did not meet the ICH seriousness criteria and are not IME events. The reported events were assessed as related to Eligard (drug) based on plausible temporality and as not related to device.

## 14.SUSPECT DRUG(S) (Continuation...)

## Product-Reaction Level

1) Drug	: Eligard® (Leuprolide acetate)
Active Substance	: 1) Leuprolide acetate
Drug Characterization	: Suspect
Form Strength	: 1) 22.5 Milligram
Form of Admin	: 1) Injection
Lot Number	: 1) 15109CUY;UNK;UNK
Daily Dose	: (22.5 milligram(s), 1 in 3 Month)
Route of Admin	: 1) Subcutaneous
Indications	: 1) Prostate cancer [10060862 - Prostate cancer]
Action(s) Taken With Drug	: Dose not changed

## Causality

## Continuation Sheet for CIOMS report

- 1) Rash/rash on his upper limbs (Localised rash - 10062704, Rash - 10037844 )
- Causality as per reporter : Not Reported
- Causality as per Mfr : Related
- DeChallenge : Not applicable
- ReChallenge : Not Applicable
- 2) Bilateral breast swelling (Breast swelling - 10006312, Breast swelling - 10006312 )
- Causality as per reporter : Not Reported
- Causality as per Mfr : Related
- DeChallenge : Not applicable
- ReChallenge : Not Applicable

## Labeling :

- 1) Rash/rash on his upper limbs
- CORE UnLabeled
- 2) Bilateral breast swelling
- CORE UnLabeled
- 2) Drug : Eligard® Unspecified Device (Leuprolide acetate)
- Active Substance : 1) Leuprolide acetate
- Drug Characterization : Suspect
- Form of Admin : 1) Injection
- Lot Number : 1) 15109CUY;UNK;UNK
- Indications : 1) Prostate cancer [10060862 - Prostate cancer]
- Action(s) Taken With Drug : Not applicable

## Causality

- 1) Rash/rash on his upper limbs (Localised rash - 10062704, Rash - 10037844 )
- Causality as per reporter : Not Reported
- Causality as per Mfr : Not Related
- DeChallenge : Not applicable
- ReChallenge : Not Applicable
- 2) Bilateral breast swelling (Breast swelling - 10006312, Breast swelling - 10006312 )
- Causality as per reporter : Not Reported
- Causality as per Mfr : Not Related
- DeChallenge : Not applicable
- ReChallenge : Not Applicable

## Labeling :

- 1) Rash/rash on his upper limbs
- CORE
- 2) Bilateral breast swelling
- CORE

## 15. DAILY DOSE(S) (Continuation...)

## Dosage Text :

Drug 1 :Eligard®

1) Expiration date: May-26;UNK;UNK ELIGARD 22.5 MG x 1 LIO x 2 JER

Drug 2 :Eligard® Unspecified Device

1) Expiration date: May-26;UNK;UNK