

1. PATIENT INITIALS (first, last)	1a. COUNTRY	2. DATE OF BIRTH			2a. AGE	3. SEX	3a. WEIGHT	4-6 REACTION ONSET			8-12	CHECK ALL APPROPRIATE TO ADVERSE REACTION
		Day	Month	Year				Day	Month	Year		
MIHL	HONDURAS	10	AUG	2016	8 Years	Female	Unk	27	FEB	2025	<input type="checkbox"/>	PATIENT DIED
<p>7 + 13 DESCRIBE REACTION(S) (including relevant tests/lab data) Event Verbatim [LOWER LEVEL TERM] (Related symptoms if any separated by commas)</p> <p>Indurated abscess in the left buttock / the surrounding area is hardened / Inflammatory changes / Slightly red color [Injection site abscess] her 'waist' hurts, the pain is on both sides and radiates down the lumbar area [Pelvic pain]</p> <p>Case Description: This Study report from HONDURAS was received by Adium via Asofarma a tu lado Patient Support Program (reference number: HN-ADIUM-HN-0086-20250228) on 28-FEB-2025 from a Consumer/Other Non-Health Prof regarding a Child 8 Years old Female patient who experienced Indurated abscess in the left buttock / the surrounding area is hardened /</p>											<input type="checkbox"/>	INVOLVED OR PROLONGED INPATIENT HOSPITALISATION
											<input type="checkbox"/>	INVOLVED PERSISTENT OR SIGNIFICANT DISABILITY OR INCAPACITY
											<input type="checkbox"/>	LIFE THREATENING
											<input type="checkbox"/>	CONGENITAL ANOMALY
											<input type="checkbox"/>	OTHER
(Continued on Additional Information Page)												

14. SUSPECT DRUG(S) (include generic name) #1) Eligard® (Leuprolide acetate) Injection, 45 milligram {Lot # 15109CUY; Exp.Dt. MAR-2026} #2) Eligard® Unspecified Device (Leuprolide acetate) Injection {Lot # (Continued on Additional Information Page) }		20. DID REACTION ABATE AFTER STOPPING DRUG? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA
15. DAILY DOSE(S) #1) 45 milligram, q 6 month #2) UNK	16. ROUTE(S) OF ADMINISTRATION #1) Subcutaneous use #2) Unknown	21. DID REACTION REAPPEAR AFTER REINTRODUCTION? <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NA
17. INDICATION(S) FOR USE #1) Precocious Puberty (Precocious puberty) #2) Precocious Puberty (Precocious puberty)		
18. THERAPY DATES(from/to) #1) 19-FEB-2025 / Ongoing #2) Unknown	19. THERAPY DURATION #1) Unknown #2) Unknown	

22. CONCOMITANT DRUG(S) AND DATES OF ADMINISTRATION (exclude those used to treat reaction)		
#1) OMEGA 3 [FISH OIL] (FISH OIL) ; Unknown		
#2) DIGLET (COLECALCIFEROL) ; Unknown		
23. OTHER RELEVANT HISTORY. (e.g. diagnostics, allergies, pregnancy with last month of period, etc.)		
From/To Dates	Type of History / Notes	Description
Unknown to Ongoing	Current Condition	Precocious puberty (Precocious puberty)
Unknown	Allergy	Food allergy (Food allergy)
	Lactose, nuts	

24a. NAME AND ADDRESS OF MANUFACTURER Tolmar, Inc. Laura Pethick, PharmD 701 Centre Ave Fort Collins, CO 80526 UNITED STATES		26. REMARKS
24b. MFR CONTROL NO. 25HN057313	25b. NAME AND ADDRESS OF REPORTER NAME AND ADDRESS WITHHELD.	
24c. DATE RECEIVED BY MANUFACTURER 19-MAR-2025		
24d. REPORT SOURCE <input type="checkbox"/> STUDY <input type="checkbox"/> LITERATURE <input type="checkbox"/> HEALTH PROFESSIONAL <input checked="" type="checkbox"/> OTHER: Study		
DATE OF THIS REPORT 24-MAR-2025	25a. REPORT TYPE <input type="checkbox"/> INITIAL <input checked="" type="checkbox"/> FOLLOWUP: 1	

ADDITIONAL INFORMATION**7+13. DESCRIBE REACTION(S) continued**

Inflammatory changes / Slightly red color (Injection site abscess), during Eligard (Leuprolide acetate) 45 milligram therapy for Precocious puberty. The needle component of the constituent device was not identified in the report. The report was sent to Tolmar on 03-MAR-2025.

The patient's medical history and current conditions included Precocious puberty, Food allergy.

Concomitant medications included OMEGA 3 and OTHER THERAPEUTIC PRODUCTS.

On 25-AUG-2023, the patient began receiving Eligard 45 milligram, q 6 month via Subcutaneous use for Precocious puberty (Lot numbers and Expiration dates not provided). On 19-FEB-2025, the patient received Eligard 45 milligram, q 6 month via Subcutaneous use (Lot number: 15109CUY; Expiration date: MAR-2016). On 27-FEB-2025, 6 fays after the most recent dose of Eligard, the patient experienced burning, redness and hardening at injection site. She was taken to a private hospital, an hemogram was attached and the indication for medication was given, which was applied at the time. The evaluation of the doctor concluded that it was an indurated abscess in the left buttock, but that the medication was applied in the left upper quadrant and it was not seen as an application error. On an unknown date, the person in charge of the program made an in-person follow-up visit to assess the affected area, the physical examination showed hardening in the left upper quadrant, a measurement was taken and it was observed that it was within the insertion area, there were inflammatory changes, slightly red color in the area, no temperature elevation was palpated, but the surrounding area was hardened. No fever was reported. She continued oral antibiotic therapy. Corrective treatment included ceftriaxone, cefalexin and acetaminophen.

Relevant test results included:

27-FEB-2025 : Granulocyte count: 53 (Ref range: Not provided)
 27-FEB-2025 : Haematocrit: 39.5 % percent (Ref range: Not provided)
 27-FEB-2025: Haemoglobin: 12.3 gram per decilitre (Ref range: Not provided)
 27-FEB-2025 : Lymphocyte count: 35 (Ref range: Not provided)
 27-FEB-2025 : Mean cell haemoglobin: 26.7 picogram (Ref range: Not provided)
 27-FEB-2025 : Mean cell haemoglobin concentration: 31.1 gram per decilitre (Ref range: Not provided)
 27-FEB-2025 : Mean cell volume : 85.7 (Ref range: Not provided)
 27-FEB-2025: MID: 12 (Ref range: Not provided)
 27-FEB-2025 : Red blood cell count: 4.61 cubic millimetre (Ref range: Not provided)
 27-FEB-2025 : White blood cell count: 13,000 cubic millimetre (Ref range: Not provided)
 27-FEB-2025 : Platelet count: 241,000 cubic millimetre (Ref range: Not provided)
 On an unknown date: Body temperature: No fever (Ref range: Not provided)

Action taken with Eligard in response to the event was Dose Not Changed. De-challenge and re-challenge were Not applicable. The outcome of Injection site abscess was Unknown.

The reporter did not assess the seriousness or causality of the event in relationship to Eligard.

On 19-MAR-2025, follow-up information was received by Adium Patient support program (reference number: HN-ADIUM-HN-0086-20250228) from a Consumer/Other Non-Health Prof and sent to Tolmar on 20-MAR-2025. New information included: Added new event of her waist hurts, the pain was on both sides and radiates down the lumbar area (Pelvic pain) and clinical details of event Injection site abscess, updated event outcome of event Injection site abscess from Unknown to Recovered/Resolved.

On an unspecified date, at an unknown time after the most recent dose of Eligard, the patient experienced her waist hurts and that on Friday patient's mother would take her to the laboratory for a General Urine Test, as she hopes that it was not a urinary tract infection, as the pain was on both sides and radiates down the lumbar area. As per reported, there was no longer any sign of infection at the application site, area without redness, no hardening. Action taken with Eligard in response to the events was Dose Not Changed. De-challenge and re-challenge were Not applicable. The outcome of Injection site abscess was Recovered/Resolved. The outcome of Pelvic pain was Unknown.

The reporter did not assess the seriousness or causality of the events in relationship to Eligard.

13. Lab Data

#	Date	Test / Assessment / Notes	Results	Normal High / Low
1		Body temperature		
		No fever		
2	27-FEB-2025	Granulocyte count		
		53, Units and Reference range not provided		

ADDITIONAL INFORMATION**13. Lab Data**

#	Date	Test / Assessment / Notes	Results	Normal High / Low
3	27-FEB-2025	Haematocrit	39.5 % percent	
		Reference range not provided		
4	27-FEB-2025	Haemoglobin	12.3 gram per decilitre	
		Reference range not provided		
5	27-FEB-2025	Lymphocyte count		
		35, Units and Reference range not provided		
6	27-FEB-2025	Mean cell haemoglobin	26.7 picogram	
		Reference range not provided		
7	27-FEB-2025	Mean cell haemoglobin concentration	31.1 gram per decilitre	
		Reference range not provided		
8	27-FEB-2025	Mean cell volume		
		85.7, Units and Reference range not provided		
9	27-FEB-2025	Platelet count	241,000 cubic millimetre	
		Reference range not provided		
10	27-FEB-2025	Red blood cell count	4.61 cubic millimetre	
		Reference range not provided		
11	27-FEB-2025	White blood cell count	13,000 cubic millimetre	
		Reference range not provided		

14-19. SUSPECT DRUG(S) continued

14. SUSPECT DRUG(S) (include generic name)	15. DAILY DOSE(S); 16. ROUTE(S) OF ADMIN	17. INDICATION(S) FOR USE	18. THERAPY DATES (from/to); 19. THERAPY DURATION
#1) Eligard® (Leuprolide acetate) Injection, 45 milligram; Regimen #2	45 milligram, q 6 month; Subcutaneous use	Precocious Puberty (Precocious puberty)	25-AUG-2023 / Ongoing; Unknown
#2) Eligard® Unspecified Device (Leuprolide acetate) Injection {Lot # 15109CUY}; Regimen #1	UNK; Unknown	Precocious Puberty (Precocious puberty)	Unknown; Unknown